
Gegevens actueel per: 09-08-2026 23:02

Link naar het product: <https://www.cncworld.nl/df-inkt-1000ml-y2-magentarood-p-613.html>



DTF Inkt 1000ml Y2 - Magenta/Rood

Incl. BTW	49.00 €
Excl. BTW	40.50 €
VOORRAAD	Beschikbaar
Verzendtijd	48 uur
Catalogusnummer	002INK-DTF
Fabrikantcode	Y2

Product omschrijving

DTF Inkt 1000ml Y2 - Magenta / Rood



CNCWORLD

Y2 DTF Ink 1000ml

Type: Hard Ink

Lot no.: 2503P0246

Compatible printheads:

DX5 | DX7 | TX800 | XP600 | i3200 | i1600 | 4720 | 1390

CAUTIONS:

Warning: For industrial use. Contains skin and eye irritants. May cause allergic reactions.

Personal Protective Equipment (PPE)

• Wear safety glasses or eye protection at all times. Avoid contact with skin and eyes. If contact occurs, wash thoroughly with water and seek medical attention if necessary.

Use handling

• Store in a well-ventilated area. Avoid inhaling vapors.

• Do not ingest. If ingested, seek medical attention immediately. Do not use with open flames.

• Do not use with heat or fire.

• Do not use with high voltage or high frequency equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

• Do not use with high speed machinery or equipment.

Hoogwaardige DTF-inkt uit het CMYK-palet met een inhoud van 1000 ml. Zorgt voor een perfecte kleurweergave, hoge hechting en duurzaamheid op materialen.

Type: Harde inkt

Kleur: Magenta

Houdbaarheid: minimaal 6 maanden

Compatibele printhoofden: DX5 | DX7 | DX8 | TX800 | XP600 | I3200| I1600| 4720 | 1390